


# RS-1301-A CHEST PRESS



### \*\*WARNING!\*\*

TO PREVENT POSSIBLE TIPPING, BOLT THIS UNIT TO THE EXERCISE FLOOR. FAILURE TO DO SO MAY RESULT IN SERIOUS INJURY OR DEATH.

Note: Both Serial Number and Model Number are Required when Ordering Parts RECORD SERIAL NUMBER HERE <u>Customer Service</u>

(800) 548-5438

(858) 578-7676

<u>Fax</u>

(858) 578-9558

MACHINE CODE A11

www.facebook.com/hoistfitness

# **CONTENTS**

INSTRUCTIONS 02
FRAME ASSEMBLY 04
PRE-ASSEMBLY22
DECAL PLACEMENT 23
DECAL REFERENCE 24
PART LIST 27
ABBREVIATIONS 30
BOLT SIZING CHART 31
WASHER SIZING CHART 32
MAINTENANCE SCHEDULE 34
GENERAL MAINTENANCE INFORMATION 35
WEIGHT TRAINING TIPS 36
<b>EXERCISE LOG 37</b>
I IMITED WARRANTY

### **INSTRUCTIONS**

Before beginning assembly please take the time to read instructions thoroughly. Please use the various lists in this manual to make sure that all parts have been included in your shipment. When ordering, use part number and description from the lists. Use only HOIST replacement parts when servicing. Failure to do so will void your warranty and could result in personal injury.

HOIST equipment is designed to provide the smoothest, most effective exercise motion possible. After assembly, you should check all functions to ensure correct operation. If you experience problems, first recheck the assembly instructions to locate any possible errors made during assembly. If you are unable to correct the problem, call your authorized HOIST dealer. Be sure to have your serial number and this manual when calling. When all parts have been accounted for, continue on.

### **TOOLS REQUIRED**

**Ratchet Wrench** 

1/2", 9/16" and 3/4" Sockets

**Adjustable Wrench** 

**Rubber Mallet** 


**Tape Measure** 

Level

**Hex Key Wrench Set** 


**Two People** 


\*\*\*THIS PAGE WAS INTENTIONALLY LEFT BLANK\*\*\*





# **ALTERNATE POSITION**


THE ROC-IT WEIGHT CAGE IS DESIGNED TO BE INSTALLED ON EITHER THE LEFT OR RIGHT SIDE OF THE RS-1301-A IN ORDER TO ACCOMMODATE THE USER.




























# **FRAME ASSEMBLY** NOTE: - WRENCH TIGHTEN HARDWARE. - INSTALL CABLE AND PULLEYS AT THE SAME TIME. - SOME PARTS MAY HAVE BEEN REMOVED FOR CLARITY. **LIGHT CABLING ASSEMBLY** 83 59 59 49 62 65 59 59 62 1 **FINE TUNING:** LOOSEN JAM NUT AND THREAD BOLT IN/OUT TO GIVE THE CABLE PROPER TENSION. RE-TIGHTEN JAM NUT. CABLE BOLT WARNING - CABLE BOLT MUST BE THREADED A MINIMUM OF 3/8" WITH JAM NUT TIGHTENED SECURELY TO ENSURE PROPER CONNECTION. JAM NUT-PROPERLY INSTALLED VIEW



















# \*IMPORTANT\*

NOW THAT THE RS-1301-A IS COMPLETELY ASSEMBLED TAKE TIME TO ASSURE THAT YOUR UNIT IS ASSEMBLED SQUARE AND PERPENDICULAR. IF NOT, IT WILL BE NECESSARY TO LOOSEN SOME FRAME HARDWARE TO RE-ALIGN THE FRAME AND RETIGHTEN BOLTS.





### **DECAL REFERENCE** CHEST PRESS CHEST CAUTION INSTRUCTIONS 1 Your seat is designed 1 ADJUST seat so handles to move as you are at chest level. 2 Sit and push assist bar with feet to bring 2 Keep feet on footrests and handles forward. hands on handles 3 Grasp handles, at all times. place feet on 3 Do not enter footrests and push hands forward. EXERCISE. machine **START EXERCISE** unless it is 4 Slowly return stationary. to the start position. 021-0013303

1 2 3

4

5

6

7

021-0004032



021-0003113



021-0003503



021-0003093



**1–800–548–5438** www.hoistfitness.com

SERIAL # 00-00-A-00000

SERIAL # DECAL

### **DECAL REFERENCE**

15 LBS / 7 KGS

165 LBS / 75 KGS

325 LBS / 147 KGS

30 LBS / 14 KGS

185 LBS / 84 KGS

345 LBS / 156 KGS

45 LBS / 20 KGS

205 LBS / 93 KGS

65 LBS / 29 KGS

225 LBS / 102 KGS

85 LBS / 39 KGS

245 LBS / 111 KGS

105 LBS / 48 KGS

265 LBS / 120 KGS

125 LBS / 57 KGS

285 LBS / 129 KGS

145 LBS / 66 KGS

305 LBS / 138 KGS

021-0003934

# TO VISIT THE HOIST® MOBILE APPLICATION, SCAN THE QR CODE® BELOW WITH YOUR SMARTPHONE'S CAMERA.

THE APPLICATION PROVIDES A SHORT VIDEO, ALONG WITH ANSWERS TO:

- HOW DO I USE THIS MACHINE?
- WHY DOES THE MACHINE MOVE?
- WHERE IS HOIST ON THE WEB?

### SCAN HERE:





\*USING YOUR SMARTPHONE, VISIT WWW.HOISTFITNESS.COM/SCAN TO DOWNLOAD A FREE QR CODE SCANNER.

021-003855 (RS

021-0003855

\*\*\*THIS PAGE WAS INTENTIONALLY LEFT BLANK\*\*\*

# **PART LIST**

NOTE: SOME OF THESE PARTS MAY COME PRE-INSTALLED

ITEM NO.	PART NUMBER	DESCRIPTION	QT\
1	026-01X3801	BASE FRAME ASSEMBLY	1
2	026-01X3802	MAIN FRAME ASSEMBLY	1
3	026-01X3259	SEAT ASSEMBLY	1
4	026-01X2849	RACHET PULL-PIN ASSEMBLY	1
5	026-01X3817	PRESS ARM ASSEMBLY	1
6	026-01X3803	FOOT ASSIST ASSEMBLY	1
7	026-01X2408	REAR LINK ASSEMBLY	1
8	026-01X2975	FOOT PLATE MOUNT ASSEMBLY	2
9	026-01X2402	FOOT PLATE ASSEMBLY	2
10	026-01X3816	CROSS BAR ASSEMBLY	1
11	026-01X2377	CROSS MEMBER ASSEMBLY	1
12	022-01PD2054-A	SEAT PAD ASSEMBLY	1
13	022-01PD2055	UPHOLSTERED HEAD PAD	1
14	022-01PD2058	BACK PAD ASSEMBLY	1
15	026-01X2860	PLASTIC FOOT ASSIST - 'H'	1
16	026-01F0256	BACKING PLATE	1
17	026-01M2360	SHAFT - ∅25mm X 4.71" LG.	2
18	026-01M2629	SHAFT - ∅ 1.181" X 4.71" LG.	2
19	026-01M0932	ALUMINIUM CAP: Ø1.25" ID	2
20	026-01M0933	ALUMINUM RING: Ø1.25" ID	2
21	026-01P2478	CABLE SHIELD	1
22	026-01P2653	'H' PLATE	1
23	026-01P2920	HEAD BRACKET MOUNT	1
24	026-01P2925	PAD MOUNT BRACKET	2
26	022-01PD2055-5	PLASTIC HEAD PAD BACKING	1
27	022-01PD2058-5	PLASTIC BACK PAD BACKING	1
28	026-01PL0235-30	GRIP ∅1.25" X 17.25" LG.	2
29	026-01PL0125	E-Z GLIDE PLASTIC SLEEVE	2
30	026-01PL2122	OVAL-SHAPED RUBBER FOOT	2
31	026-01PL2148	PLASTIC FOOT ASSIST - 'HOIST'	1
32	026-01PL2351	PLASTIC SCUFF GUARD W/ RIVETS	1
33	026-01PL2200	PINETREE PLUG	1
34	026-01T2968	FOOT ASSIST TUBE	1
35	ROC-IT WEIGHT CAGE - A2	ROC-IT WEIGHT CAGE	1

# **PART LIST CONTINUED**

NOTE: SOME OF THESE PARTS MAY COME PRE-INSTALLED

ITEM NO.	PART NUMBER	DESCRIPTION	QTY
36	021-0003093	DECAL MOVING PARTS 1.20" X 2.38" (HOR)	1
37	021-0003113	DECAL PINCH POINT 1.63" X 3.25" (VERTICAL)	2
38	021-0003503	DECAL "ASSIST BAR"	1
40	021-0004032	DECAL ADJUST 1-7 VERTICAL TXT.	1
41	021-0013303	PLACARD RS-1301 CHEST PRESS	1
42	021-0003855	ROC-IT QR DECAL CHEST PRESS	1
43	010-01C0411	CABLE ASSEMBLY RS-1301-A - 188 1/2" LG.	1
44	014-0014002	3/8-16 FLUSH MOUNT INSERT	4
45	014-0012014	BEARING: FLANGELESS - 25mm I.D.	4
46	014-0012013	BEARING: BALL BEARING Ø2.44" O.D. X Ø1.18" I.D.	4
47	016-0001003	END CAP 1.50" X 2.50" (BLACK)	1
48	016-0201015	END CAP-F 2.00" X 3.00" (BLACK)	1
49	018-0002017	PULLEY 6.00" OD	3
50	018-0001003	CABLE PULLEY: Ø4.50"	2
51	019-0001001	PLUG BUMPER	2
52	011-0116121	1/2"-13UNC X 4.50" LOW HEAD SHCS (Ni)	2
53	011-0116115	1/2"-13UNC X 3.00" LOW HEAD SHCS (Ni)	2
54	011-0116116	1/2"-13UNC X 3.25" LOW HEAD SHCS (Ni)	4
55	011-0116126	1/2"-13UNC X 5.75" LOW HEAD SHCS (Ni)	5
56	011-0116127	1/2"-13UNC X 6.00" LOW HEAD SHCS (Ni)	1
57	011-0701049	1/2"-13UNC X 1.50" BHCS (Ni)	2
58	013-1002006	1/2" X 27mm SAE FLAT WASHER (Ni)	32
59	013-1002007	3/8" X 22mm FLAT WASHER (Ni)	40
60	013-1002010	5/16" SAE FLAT WASHER (Ni)	10
61	012-0504002	1/2"-13 UNC THIN NYLOCK NUT (Ni)	16
62	012-0504005	3/8"-16 UNC THIN NYLOCK NUT (Ni)	15
63	011-0116148	3/8"-16UNC X 2.50" LOW HEAD SHCS (Ni)	1
65	011-0116145	3/8"-16UNC X 1.75" LOW HEAD SHCS (Ni)	3
66	011-0116149	3/8"-16UNC X 2.75" LOW HEAD SHCS (Ni)	2
67	011-0701020	3/8"-16UNC X 1.00" BHCS (Ni)	20
68	013-1006003	3/8" SPLIT LOCK WASHER (Ni)	12
69	011-0701078	1/4"-20UNC X 1.50" BHCS (Ni)	2
70	011-0701003	5/16"-18UNC X 1.00" BHCS (Ni)	9

# **PART LIST CONTINUED**

NOTE: SOME OF THESE PARTS MAY COME PRE-INSTALLED

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
71	011-0701004	5/16"-18UNC X 1.25" BHCS (Ni)	2
73	011-0708002	M5 X 20mm FHB (Ni)	2
74	011-0704001	3/8-16UNC X .75" SQUARE HEAD (Ni)	1
75	011-0711001	SET SCREW: 1/4"-28 X .25" LG. (Ni)	4
76	013-1010003	5/16" INTERNAL LOCK WASHER (Ni)	11
79	014-0012018	SNAP RING - 25mm EXTERNAL	4
80	014-0012019	SNAP RING - 30mm EXTERNAL	4
81	SERIAL # DECAL	DECAL HOIST SERIAL # 1.63" X 2.63"	1
82	021-0003934	RS WEIGHT STACK DECAL #2	1
83	011-0116154	3/8"-16UNC X 4.00" LOW HEAD SHCS (Ni)	1

PAGE 29 RS-1301-A ASSEMBLY

### **ABBREVIATIONS**

BZ = Black Zinc

Ni = Nickel Plated

SS = Stainless Steel

WZ = White Zinc



HHB = Hex Head Bolt



FHCS = Flat Head Cap Screw




BHCS = Button Head Cap Screw



SHCS = Socket Head Cap Screw





Low Head SHCS = Low Head Socket Head Cap Screw



SHSS = Socket Head Shoulder Screw

### **BOLT SIZING CHART** 1/4" HHB 3/8" HHB 1/2" HHB 5/16" HHB RECOMMENDED RECOMMENDED RECOMMENDED RECOMMENDED TORQUE RANGE: TORQUE RANGE: TORQUE RANGE: TORQUE RANGE: 6-8 ft-lbs 14-17 ft-lbs 24-30 ft-lbs 60-75 ft-lbs 1/2" BHCS 1/4" BHCS 5/16" BHCS 3/8" BHCS RECOMMENDED RECOMMENDED RECOMMENDED RECOMMENDED TORQUE RANGE: TORQUE RANGE: TORQUE RANGE: TORQUE RANGE: 5-7 ft-lbs 11-15 ft-lbs 19-26 ft-lbs 47-65 ft-lbs 1/4" 1/2" 5/16" 3/8" LOW HEAD **LOW HEAD** LOW HEAD **LOW HEAD** SHCS SHCS SHCS **SHCS** $\bigcirc$ RECOMMENDED RECOMMENDED RECOMMENDED RECOMMENDED TORQUE RANGE: TORQUE RANGE: TORQUE RANGE: TORQUE RANGE: 4-6 ft-lbs 9-12 ft-lbs 18-23 ft-lbs 40-50 ft-lbs 1/4" SHCS 5/16" SHCS 3/8" SHCS RECOMMENDED RECOMMENDED RECOMMENDED TORQUE RANGE: TORQUE RANGE: TORQUE RANGE: 23-29 ft-lbs 39-49 ft-lbs 11-14 ft-lbs 3/4 3/4 3/4 3/4 3/4" 5 'n ģ ო 5 2 3/8" FHCS 1/2" FHCS 1/4" FHCS RECOMMENDED RECOMMENDED RECOMMENDED TORQUE RANGE: **TORQUE RANGE:** TORQUE RANGE: 19-26 ft-lbs 47-65 ft-lbs 5-7 ft-lbs 3/4 3/4 3/4 7/2 2 0 <u></u>т à à က က က Ø 3/8" SHSS 5/16" SHSS 1/4" SHSS RECOMMENDED RECOMMENDED RECOMMENDED **TORQUE RANGE:** TORQUE RANGE: TORQUE RANGE: 17-22 ft-lbs 8-10 ft-lbs 3-4 ft-lbs





### **MAINTENANCE SCHEDULE**

ROUTINE	COMMERCIAL / LIGHT COMMERCIAL MAINTENANCE	HOME MAINTENANCE	LATEST DATE ENTRY
Inspect; Links, Pull Pins, Snap Locks, Swivels, Weight Stack Pins	DAILY	WEEKLY	
Clean; Upholstery	DAILY	WEEKLY	
Inspect; Cables or Belts and their tension	DAILY	WEEKLY	
Inspect; Accessory Bars, and Handles	WEEKLY	3 MONTHS	
Inspect; All Decals	WEEKLY	3 MONTHS	
Inspect; All Nuts and Bolts, Tighten if needed	WEEKLY	3 MONTHS	
Inspect; Anti-Skid Surface	WEEKLY	3 MONTHS	
Clean & Lubricate; Guide Rods with a Teflon (PTFE) based lubricant (Superlube)	MONTHLY	3 MONTHS	
Lubricate; Seat Sleeves, Turcite Bushings, Linear Bearing	MONTHLY	3 MONTHS	
Clean and Wax; All Glossy Finishes	6 MONTHS	YEARLY	
Repack with Grease; Linear Bearings	6 MONTHS	YEARLY	
Replace; Cables, Belts and Connecting Parts	YEARLY	3 YEARS	

Your equipment comes with a commercial maintenance decal. For personal, in home use, please follow the home maintenance schedule listed above.

Never use ammonia, acid-based, or petroleum-based solvents on any portion of the machine as it may damage the finish.

# HOIST FITNESS SYSTEMS GENERAL MAINTENANCE INFORMATION

### Links, Pull-Pins, Snap Hooks, Swivels, Weight Stack Pins:

- \*Check all pieces for signs of visible wear or damage.
- \*Check springs in snap hooks and pull-pins for proper tension and alignment.
- \*If the spring sticks or has lost its rigidity, replace it immediately.

### **Upholstery:**

- \*To ensure prolonged upholstery life and proper hygiene, all upholstered pads should be wiped down with a damp cloth after every workout.
- \*Periodically take the time to use a mild soap or an approved vinyl upholstery cleaner to deter the onset of cracking or drying. Avoid using any abrasive cleaners or cleaners not intended for use on vinyl.
- \*Replace ripped or warn upholstery immediately.
- \*Keep sharp or pointed objects clear of all upholstery.

### Decals:

\*Inspect and familiarize yourself with any safety warnings or other user information posted on each decal.

### **Nuts and Bolts:**

- \*Inspect all nuts and bolts for any loosening and tighten if needed.
- \*Go through a re-tightening sequence periodically to ensure that all hardware is tensioned proper.

### **Anti-Skid Surfaces:**

\*These surfaces are designed to supply secure footing and need to be replaced if they appear worn or become slippery.

### **Belts and Cables:**

- \*Hoist uses only high quality belt, and mil-spec cables.
- \*Visually inspect the belts and cables for fraying, cracking, peeling or discoloration.
- \*While the machine is not in use, carefully run your fingers along the belt or cable to feel for thinning or bulging areas.
- \*Replace belts and cables immediately at the first signs of damage or wear. Do not use equipment until belts or cables have been replaced.

### **Belt and Cable Tension:**

- \*Referring to the Owners Manual, when belts or cables are used check all bolts attachments to be sure they are properly attached.
- \*Check slack in cables and re-adjust cable tension if needed.

### Seat Sleeves, Guide Rods:

- \*Wipe down adjusting tubes with a dust free rag before applying lubricant.
- \*Lubricate seat sleeves and Guide Rods with a Silicon or Teflon based lubricant spray.

### **Linear Bearings:**

\*Referring to the Owners Manual carefully disassemble the bearing from its housing and place a finger full of light grease (lithium, super lube, etc.) into the inside of the bearing. Using your finger, press the grease into the ball-bearings and their tracks. repeat until the ball-bearing tracks are full of grease. Insert the shaft back into the bearing and wipe off excess grease.

### PLEASE KEEP THIS FOR YOUR RECORDS

### **WEIGHT TRAINING TIPS**

Use this manual to guide you through the basic exercises you can perform on your RS-1301-A HOIST® Fitness System. To gain maximum results and avoid possible injury, consult a fitness professional to develop your complete exercise program.

Always consult your physician before starting any exercise program.

To be successful in your exercise program, it is important to develop an understanding of the basic principles of strength training. Now that you have your RS-1301-A HOIST® Fitness System, it is only natural that you want to get started immediately. First, determine a set of realistic goals and objectives for yourself. By deciding on an exercise plan that is right for you prior to starting, you will contribute significantly to your success.

Warm up properly before engaging in weight resistance training. Stretching, yoga, jogging, calisthenics or other cardiovascular exercise can help prepare your body for the heavier workload of lifting weights.

Learn how to perform the exercise correctly before using heavy weight. Correct form is important to avoid injury and to ensure that you work the proper muscle groups.

Know your limitations. If you are new to weight training or are embarking on an exercise regimen after a long layoff, start slowly and build foundational strength over a longer period of time.

Pay attention to your breathing. Exhale when you exert is a general rule of thumb. Never hold your breath.

Enjoy your RS-1301-A HOIST® Fitness System!

													Exercise	E a co
													S	T
													R	
													W	-
													$\mathbf{S}$	l
													R	1
													W	
													S	l
_													R	
													W	ļ
_													S	-
													R	1
													₩	ļ
													S	1
$\dashv$													R	1
													W	L
													$\mathbf{s}$	1
													R	-
													₩	ļ
													S	1
													R	ł
													₩	ļ
													S	1
													R	ł
													₩	ļ
													S	ł
													R	
													W	ļ
													S	-
$\dashv$													R	$\left\{ \right.$
_													₩	ļ
$\downarrow$					_	_							S	-
$\perp$													R	
_													₩	ļ
_													S	
$\perp$													$\mathbf{R}   \mathbf{W}$	-

# WEIGHT TRAINING EXERCISE LOG

S = Sets R = Repetition per set W = Weight used

# HOIST FITNESS SYSTEMS LIMITED LIFETIME WARRANTY

Hoist Fitness Systems warrants this product to the **original purchaser** to be free from defects in workmanship and/or materials under normal use or service. If at any time a component part is defective, Hoist Fitness Systems shall repair or replace it (at Hoist Fitness Systems option) within a reasonable period of time. This warranty does not cover costs of removal, transportation or reinstallation. This warranty shall not apply if the defect was caused by misuse, neglect or normal wear and tear.

WARRANTY CLAIMS. All claims require: Model number, Serial number, Date of installation, and any information supporting the existence of the alleged defect.

To complete Warranty Registration visit:

www.HOISTFITNESS.com

and click on the Warranty Registration link

Starting from the original date of purchase, normal wear and tear shall be considered as the following:

**COMMERCIAL USE:** All malfunctions of upholstery, grips, and coatings that occur up to one year; all malfunctions of belts, or cables up to one year; all malfunctions of pulleys, bearings, or bushings that occur up to three years. The frame and body components are warranted for ten years, with structural moving parts warranted for five years.

**LIGHT COMMERCIAL USE**: All malfunctions of upholstery, grips, and coatings that occur up to one year; all malfunctions of belts, or cables up to one year; all malfunctions of pulleys, bearings, or bushings that occur up to three years. The frame and body components are warranted for ten years, with structural moving parts warranted for five years.

**HOME USE**: All malfunctions of grips, paint, and chrome that occur up to ten years; all malfunctions of electronic components, belts, cables, or upholstery that occur up to ten years; all malfunctions of pulleys, bearings, or bushings that occur up to ten years. The frame and all welded components are warranted for the life of the product.

PLEASE NOTE THAT NOT ALL HOIST PRODUCTS ARE MADE FOR COMMERCIAL USE. Refer to the instructions page of your owners manual or consult with you fitness product dealer to establish if a product is made for commercial use or not. Using a non-commercial product in a commercial setting can result in serious injury or death! Hoist Fitness Systems sole responsibility shall be to repair or replace the component within the terms stated above. Hoist Fitness Systems shall not be liable for any loss or damage of any kind including any incidental or consequential damages resulting, directly or indirectly from any warranty expressed or implied or any other failure of this product.

**LIGHT COMMERCIAL USE**: Our Light Commercial warranty applies to facilities that **DO NOT** charge monthly membership dues and where the equipment would be used by **no more than 50** people per day. Examples of Light Commercial facilities include hotels, apartment complexes, personal training studios, fire stations, police stations, etc., that meet the criteria stated above.

WHAT IS NOT COVERED BY THIS WARRANTY: Hoist's sole obligation under this warranty is limited to either repair or replacement of parts, subject to the additions below. This warranty neither assumes nor authorizes any person to assume obligations other than expressly covered by this warranty.

**NO CONSEQUENTIAL DAMAGES**: Hoist is not responsible for economic loss; profit loss; or special, indirect, or consequential damages.

**WARRANTY IS NOT TRANSFERABLE:** This warranty is not assignable and applies only in favor of the original purchaser/user to whom delivered. Any such assignment or transfer shall void the warranties herein made and shall void all warranties, expressed, implied or statutory, except the one (1) and five (5) year warranties described above. These warranties are exclusive and in lieu of all other warranties, including implied warranty and merchantability or fitness for a particular purpose. There are no warranties which extend beyond the description on the face hereof.

**TRANSPORTATION COSTS:** Hoist will accept parts covered under this warranty freight collect, provided that shipment has received prior approval. Hoist is not responsible for any other transportation costs, but will ship freight collect parts either repaired or replaced under these warranties.

Hoist Fitness Systems 11900 Community Rd. Poway, CA. 92064 (800)548-5438

PLEASE KEEP THIS FOR YOUR RECORDS