### **TUFFSTUFF FITNESS INTERNATIONAL**

# OWNER'S MANUAL Maintenance & Assembly Instructions

**IMPORTANT:** KEEP THIS MANUAL FOR FUTURE REFERENCE



### NOTICE

#### It is the Purchaser's/Owner's obligation:


- 1. To disclose and post all Rules & Regulations, Danger, Warning and Caution labels affixed on the machine to their customers/users.
- 2. Equipment to be installed by TFI Authorized Dealer or a service company approved by TFI.
- 3. Provide trained personnel, supervision and correct usage of the equipment.
- 4. Provide scheduled inspection, maintenance & repairs and must be performed by TFI Authorized Dealer or a service company approved by TFI.
- 5. Must use only genuine TuffStuff replacement parts.

### **CHR-500** Half Cage w/Safety Stopper and **Dip Handles**

### **Table of Contents**





OVERHEAD SPECIFICATIONS	Page 2
DANGER, WARNING, & CAUTION LABELS INFORMATION	
IMPORTANT SAFETY INSTRUCTIONS	Page 6
REGISTRATION, SERVICE & ASSEMBLY	Page 7
INSPECTION/MAINTENANCE	Page 8
ASSEMBLY STEPS	Page 9-12
PARTS LIST	Page 13
PRE-ASSEMBLED COMPONENTS	Page 14-15
WARRANTY	Page 16



# L 59" X W 65" X H 84" PRODUCT WEIGHT 235 lbs MAX-LOAD WEIGHT LIMIT - 600 lbs

TuffStuff Fitness International Inc. continually engages in research related to product improvements. Please take the time to carefully read through this owner's manual thoroughly. Instructions contained in this owner's manual are not intended to cover all details or variations possible with equipment, or to cover every contingency that may be met in conjunction with assembly, installation, operation, maintenance or troubleshooting of the equipment. Even though we have prepared this owner's manual with extreme care, neither the manufacturer nor the author can accept responsibility for any errors in, or omission from, the information given. Should additional information be required, or should situations arise that are not covered by this owner's manual, the matter should be directed to Customer Service at TuffStuff Fitness International Inc. in Chino, California.





### Carefully read ALL Danger, Warning & Caution labels posted on the machine

38

#### IMPORTANT

For smooth performance, lubricate all gliding surfaces with silicone spray lubricant.







### 🕰 WARNING

ATTENTION USERS! Make sure lockings pins are fully engaged and secured.







#### WARRANTY

#### **LIGHT COMMERCIAL**

TEN (10) YEARS:

Frames, welds, cams and weight plates

#### FIVE (5) YEARS:

Pivot bearings, pulleys, bushings, gas shocks and guide rods

#### ONE (1) YEAR:

Belts, linear bearings and pull-pin components

ALL OTHER PARTS not mentioned, one ear from the date of delivery to the

#### SIX (6) MONTHS:

· Upholstery, cables, finish and rubber grips

Light Commercial Use: Light Commercial warranty applies only to facilities like hotels, apartment complexes, personal training studios, fire & police stations etc. where the equipment would be used by no more than 30 people per day.

efer to the Owner's Manual for details, assemble maintenance requirements, review and under and all danger, warning and caution labels.

arranty periods begin to run from the date of All Warramy periods seglin to run from the date of delivery to the original purchaser. The obligation of TuffStuff under this warranty is limited to repairing or replacing warranted defective parts, as TuffStuff may elect, at TuffStuff's facility in Chino, California, without charge to the Purchaser for either parts or labor. Purchaser is responsible for installation of repaired or replaced parts, and all transportation and insurance costs to and from TuffStuff's facility in Chino. For a detailed copy of the warranty, please

TuffStuff Fitness International Chino, CA 91710, USA www.tuffstuffitness.com



### SCHEDULE

Recommended TuffStuff Parts (replace or as needed)	9-MONTH	12-MONTH	15-MONTH	
Upholstery	X			
Foam Rolls	X			
Cables		X		
Rubber Grips		X		
Nylon Handles			X	
Pull-Pins			X	
Plastic Guides			X	

Adj. Release Handle Black Caster Wheels Buckle Seat/Belt abels (as needed)

Abdominal Strap

TuffStuff Fitness International



**A DANGER** Use this equipme ONLY for its intended purpose
If you are unfamiliar
with the equipment of
procedure, refer to yo
Owner's Manual or



**A DANGER** SAFETY STOPS must be adjusted to the same heigh on both sides and



INSPECT	Ц	IJ	ľ		
Recommended Inspection Replace all parts at first signs of wear or damage.	DAILY	WEEKLY	MONTHLY	HLNOW-9	YEARLY
INSPECT: Links, pull-pins, snap locks, swivels, connectors, selector pin, and welded-joints.	x				
CLEAN: Upholstery with lanolin-base cleaner, Do not use Windex.	x				
INSPECT: Cables, Belts and tension (adjust if needed).	x				
INSPECT: All labels		x			
INSPECT: All nuts and bolts (tighten if needed).		x			
INSPECT: Accessory bars, handles, rubber grips.		x			
INSPECT: All anti-skid surfaces.		x			
CLEAN & LUBRICATE: Clean guide rods with Super Lube® spray lubricant and lubricate with Super Lube® (PTFE) grease.			x		
LUBRICATE: Seat sleeves, pull-pin sliding mechanism, bushings and linear bearings.			x		
CLEAN & WAX:				v	

TuffStuff Fitness International Chino, CA 91710, USA

REPLACE:

36





### WARNING

Serious injury or death can occur if these rules and precautions are not observed:

- Read and Understand Owner's Manual and all DANGER, WARNING and CAUTION labels before using this equipment. If you still need help, seek assistance from floor personnel.
- Obtain a medical exam before
- beginning any exercise program. Stop exercising if you feel faint or dizzy. Consult a physician if you are experiencing pain.
- Inspect equipment prior to use for wear and tear, loose fittings, worn or frayed cables/belts and frame welds. Do not use if it appears damaged or inoperable.
- Do not attempt to fix or free any jammed parts by yourself. Seek assistance from floor personnel.
- Use this equipment only for the intended use and for exercise(s) shown in the exercise label.
- Keep body, clothing and hair clear from all moving parts.
- Children must not be allowed near this machine. Teenager must be
- Make sure the selector pin is com-pletely inserted. Use only the selector pin provided by the manufacturer. If difficulty inserting the pin, seek assistance from floor personnel.
- Never pin the weights in an elevated position. Do not use the machine if found in this condition.
- Inform floor personnel immediately.

  11. Do not modify selectorized weight stack with any add-on incremental weights or dumbbells, except those
- with standard factory installed.

  12. **Do not remove labels** affixed to the machine. Replace if damaged.

TuffStuff Fitness International Chino, CA 91710, USA

38

#### IMPORTANT

For smooth performance. lubricate all gliding surfaces with silicone spray lubricant,

32

BE ALERT!

#### THE FITNESS EQUIPMENT IN THIS **FACILITY PRESENTS HAZARDS** WHICH, IF NOT AVOIDED, COULD **CAUSE SERIOUS INJURY OR DEATH.**

Prior to using the equipment, READ the warning labels and instruction placards affixed to each machine.

If you are unsure on how to use a machine, seek the assistance of our floor personnel. We will be happy to instruct you on how to use the equipment properly.

Immediately report any piece of equipment that is not functioning properly to our floor personnel so that it may be evaluated and service promptly.

DO NOT ATTEMPT to use or fix any piece of equipment that is not functioning properly.

TUFFSTUFF FITNESS INTERNATIONAL, CHINO, CA 91710





lift up slightly and pull to release. Slide to your desired position before releasing knob. Make sure bar catch is securely engaged.





Grasp the knob firmly, lift up slightly and pull to release. Slide to your desired position before releasing knob. Make sure bar catch is securely engaged.





**CHECK** 

Pull-pin is fully engaged in the hole before use.

It is extremely important that the **Facility Sign** shown to the left be installed in plain view of the unit.

You should have received it along with this Owner's Manual. If you did not receive this Facility Sign with your order, you can obtain one at no cost to you from TuffStuff Fitness by contacting our service department at:

1 (888) 884-8275 service@tuffstuff.net service1@tuffstuff.net

### **Important Safety Instructions**

It is the responsibility of the facility owner and/or owner of the equipment to review the Owner's Manual with their facility personnel and understand all Danger, Warning and Caution labels affixed on the machine. It is the responsibility of the floor personnel to instruct users on proper operation of the equipment and review all danger, warning and caution labels.



- 1. Obtain a medical exam before beginning any exercise program.
- Read and understand Owner's Manual and all Danger, Warning and Caution labels before using this equipment. If you still need help, seek assistance from floor personnel.
- Inspect the equipment before each use for wear and tear, loose fittings, worn or frayed cables and frame welds. DO NOT USE if it appears to be inoperable or damaged.
- 4. Stop exercising if you feel faint or dizzy. Consult a physician if you are experiencing pain.
- 5. Use this equipment only for the intended use.
- 6. Keep body, clothing and hair clear from all moving parts. Do not attempt to free any jammed parts by yourself.
- Always warm-up before and cool-down after weight training.
   Warm-up for 10-15 minutes with stretching and cardiovascular exercises. Cool-down should include light stretching exercises for 5-15 minutes.
- Never hold your breath will limit the flow of oxygen to your brain and may cause dizziness. The most often used breathing pattern is inhaling during least resistance and exhaling during maximum resistance.
- Do not use accessories or accessory attachments that are not recommended by TFI.

#### **Facility Safety Guidelines and Practices**

- Read and understand the Owner's Manual before assembling, servicing or using the equipment.
- 2. Equipment to be installed by TFI Authorized Dealer or Professional Service Company approved by TFI.
- 3. Make sure each machine is set up and operated on a solid level surface. Do not install equipment on an uneven surface.
- 4. Provide an adequate safety perimeter between the machine, walls and other equipment to ensure that the facility has proper clearance for usage and training.
- 5. Post and disclose all safety, rules and regulations on a bulletin board easily accessible to users.
- 6. Perform regular maintenance (see Inspection Label). Pay special attention to areas most susceptible to wear and tear, including but not limited to cables, pulleys and rubber grips.
- 7. **Do not** lean against or pull on the framework, weight stack or any component at all times.

- Children must not be allowed near the equipment. Teenager must be supervised.
- 9. Replace immediately all parts at first sign of wear or damage. If unable to replace worn or damaged components/parts, remove machine from service until the repair is made.
- 10. Use only genuine TuffStuff replacement parts. Failure to do so will void warranty and could result in serious injury or death to the users.
- 11. **Do not remove** any decals affixed to the machine. Replace if damaged.
- 12. **Do not alter or modify** the original manufacturer's weight stack with any add-on incremental weights, weight plates or DUMBBELLS except those with standard factory installed option.
- 13. Maintain a service contract with a TFI Authorized Dealer or a Professional Service Company approved by TFI. Keep a service log of all maintenance and repair activities. NOTICE: It is the sole responsibility of the owner or facility operator to ensure that regular maintenance is performed.



**DANGER:** indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury.



**WARNING:** indicates a potentially hazardous situation which, if not avoided, will result in death or serious injury.



**CAUTION:** indicates a hazardous situation which, if not avoided, could result in minor or moderate injury.

### Registration, Service & Assembly

Thank you for purchasing the CHR-500 Half Cage w/Safety Stopper and Dip Handles. This machine is part of the TuffStuff line of quality strength training equipment. To maximize your use of the equipment, please study the Owner's Manual thoroughly.

#### Registration

To avoid unnecessary delays on warranty parts and to insure that a permanent record of your purchase is on file with our company, be sure to register online at http://www.tuffstuffitness.com or mail to address shown below within 10 days of purchase.

#### **Obtaining Service**

Please use this Owner's Manual as your guide to all parts included in your shipment. When ordering parts, you must specify the part number and description from this owner's manual. **Use only genuine TuffStuff replacement parts when servicing the equipment.** Failure to do so will void warranty and could result in serious injury or death.

For information about product operation or service:

Phone: 909-629-1600 Toll Free 888-884-8275

Fax: 909-629-4967

E-mail: service@tuffstuff.net or service1@tuffstuff.net

Hours: M-F 8:00 - 4:30 PST

Or write to: TuffStuff Fitness International Inc.

**Customer Service** 

13971 Norton Avenue, Chino, CA 91710

Retain this Owner's Manual for future reference when ordering service or parts. To assist you better, please be prepared to provide the following information:

Model Number
 Place of Purchase
 Serial Number
 Part # and Description

#### **Required Tools**

The basic tools that you will need to assemble the CHR-500 but are not limited to:

- 9/16", 3/4", 1/2" combination wrenches
- Adjustable wrench
- Ratchet wrench with 9/16", 3/4", 1/2" sockets
- External retaining ring pliers
- Rubber mallet, measuring tape & utility knife
- Super Lube® spray lubricant and grease
- Windex or household glass cleaner

#### **Assembly Requirements**

Follow these installation requirements when assembling the CHR-500. Use the overhead view on the Content Page to layout your floor plan before assembling.

Set up the CHR-500 on a clean, solid, flat surface. A smooth, flat surface under the machine helps keep it level.

Allow ample space around the machine for safe unrestricted use and easier access.

Insert all bolts in the same direction. For aesthetic appearance, insert all bolts in the same direction unless specified (in text or illustration) to do otherwise.

Leave room for adjustments. Do not fully tighten fasteners until instructed in the assembly steps to do so (to prevent any difficulty with alignment of parts during the assembly process). When not instructed, tighten fasteners such as bolts, nuts and screws so the unit is stable, but leave room for adjustments.

#### **Assembly Tips**

Read all "Notes" on each page before beginning each step.

While you may be able to assemble the CHR-500 using the illustrations only, IMPORTANT safety notes and other tips are included in the text.

Some pieces may have extra holes that you will not use. Use only those holes indicated in the instructions and illustration.


**NOTE:** With so many assembled parts, proper alignment and adjustment is critical. While tightening the nuts and bolts,

be sure to leave room for final adjustments.

**CAUTION:** Obtain assistance from TFI if you have difficulty assembling the CHR-500. Please do not attempt to complete the assembly as this could result in equipment

failure and serious injuries to the users.

#### **Symbols & Description**



Loosely Tighten Loosely Tighten

70%

Loosely tighten all hardware in this step. DO NOT Fully Tighten. Some component(s) may need pre-assembly and or alignment during the assembly process.

Fully Tighten 100%

**⊘Fully Tighten** 

Wrench tighten all hardware in this step.

## **Inspection/Maintenance**

Perform regular maintenance (see Inspection Label). Pay special attention to areas most susceptible to wear and tear, including but not limited to cables, pulleys and rubber grip. TFI recommends you maintain a service contract with a TFI Authorized Dealer or a Professional Service Company approved by TFI. Keep a service log of all maintenance and repair activities. Extra copies can be downloaded from our website www.tuffstuffitness.com

<b>INSPECT</b>		0	N:	S		IN:	SPECTION / MAINT	ENANCE REC	CORDS
Recommended Inspection Replace all parts at first signs of wear or damage.	DAILY	VEEKLY	MONTHLY	-MONTH	EARLY	DATE	REPLACEMENT	REPAIRS	INSPECTED BY
INSPECT: Links, pull-pins, snap locks, swivels, connectors, selector pin, and welded-joints.	X	>	2	9	<u>&gt;</u>				
CLEAN: Upholstery with lanolin-base cleaner. Do not use Windex.	X								
INSPECT: Cables, Belts and tension (adjust if needed).	X								
INSPECT: All labels		x							
INSPECT: All nuts and bolts (tighten if needed).		x							
INSPECT: Accessory bars, handles, rubber grips.		x							
INSPECT: All anti-skid surfaces.		X							
CLEAN & LUBRICATE: Clean guide rods with Super Lube® spray lubricant and lubricate with Super Lube® (PTFE) grease.			x						
LUBRICATE: Seat sleeves, pull-pin sliding mechanism, bushings and linear bearings.			X						
CLEAN & WAX: All powder-coat finishes.				x		DATE	WARRANTY	REPAIRS	INSPECTED BY
REPLACE: Cables & connecting parts.					x	DAIE	ALF LACEIVIEW	NLFAINS	INSPECTED BY
Use only genuine TuffSi parts. Failure to do so v and could result in serior TuffStuff Fitness In Chino, CA 9171	vill v us ir itern	oid ijury atio	war y or	rant	ty				

www.tuffstuffitness.com BNH3137


## Step 1

	Step 1 Assembly List	
Item #	Description	Qty.
1	BASE FRAME	2
*2	REAR SIDE FRAME RT	1
*3	REAR SIDE FRAME LT	1
17	PLASTIC HORIZONTAL ELLIPTICAL SHOE W/LOCK	4
23	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1	4
26	FLAT WASHER SAE Z/P 1/2"	4
28	SPLIT LOCK WASHER B-Z/P 1/2"	4




#### NOTE:

1. IT IS STRONGLY RECOMMENDED THAT TWO PEOPLE PARTICIPATE IN THE ASSEMBLY OF THIS UNIT.




		Step 2 Assembly List	V
	Item #	Description	Qty.
	*5	REAR CROSS BRACE	1
	8	ACCESORIE HOLDER BRACKET	1
	*12	OLYMPIC ADAPTER 1 X 8	10
	16	RUBBER WASHER 1 7/8 ID X 4 1/4 OD X 9/16	10
	21	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 2 3/4	3
<*12>	22	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1 1/4	2
$\sim$ (16)	23	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1	8
	26	FLAT WASHER SAE Z/P 1/2"	16
	28	SPLIT LOCK WASHER B-Z/P 1/2"	10
	29	NYLON INSERT THIN PATTERN LOCK NUT Z/P 1/2-13	3
(a) (26) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	23 26 26 26 26	23 28 26 29 26 21 26 21 26 20 26 21	21)
Loosely Tighten  70%  Loosely tighten all hardware in this step.  DO NOT Fully Tighten. Some component(s)  may need pre-assembly and or alignment during the assembly process.	(28)	23 28 26 16	*12

### Step 3



#### Step 4 **Assembly List** Description Qty. Item # TOP CROSS BRACE \*13 DIPPING HANDLE 2 REINFORCEMENT PLATE 1/4 X 2 1/2 X 7 15 HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 3 4 20 FLAT WASHER SAE Z/P 1/2" 26 8 NYLON INSERT THIN PATTERN LOCK NUT Z/P 1/2-13 29



### **Parts List**



COLOR CHART GRAY= SUB-ASSEMBLY PARTS BLACK= HARDWARE

### **CHR-500**


### Parts List


Item No.	Description F	Rev.	Part No.	Qty.	Item No.	Description Rev.	Part No.	Qty.
1	BASE FRAME	0	UP8255	2	32	FACILITY SIGN BE ALERT! THE FITNESS EQUIPMENT	BNH3138	1
2	REAR SIDE FRAME RT	0	UP8256	1	33	LABEL-TFI SERIAL NO. 2.5 X 1.5	BNH3147	1
3	REAR SIDE FRAME LT	0	UP8257	1	34	LABEL-CAUTION CHECK PULL-PIN IS FULLY 1 1/2 X 1 3/8	BNH2912	2
4	TOP CROSS BRACE	0	UP8258	1	35	LABEL DANGER CHECK RETAINING NUT 1.5 X 1	BNH3146	2
5	REAR CROSS BRACE	0	UP8259	1	36	LABEL-DANGER SAFETY STOPS	BNH2904	2
6	SELECTOR POST RT	0	UP8260	1	37	LABEL-DANGER USE THIS EQUIPMENT ONLY	BNH2903	1
7	SELECTOR POST LT	0	UP8261	1	38	LABEL-IMPORTANT FOR SMOOTH PERFORMANCE	BNH2916	2
8	ACCESORIE HOLDER BRACKET	0	UP8262	1	39	LABEL-INSPECTIONS RECOMMENDED INSPECTION	BNH3137	1
9	BAR HOLDER	0	UP8188	2	40	LABEL-SCHEDULE REPLACEMENT PARTS	BNH3135	1
10	SAFETY STOPPER RT	0	UP8189	1	41	LABEL-WARNING ATTENTION USERS! MAKE (REV0)	BNH2152	1
11	SAFETY STOPPER LT	0	UP8190	1	42	LABEL-WARNING BAR CATCH LT, 2 X 4	BNH3143	1
12	OLYMPIC ADAPTER 1 X 8	0	UP2595	10	43	LABEL-WARNING BAR CATCH RT, 2 X 4	BNH3144	1
13	DIPPING HANDLE	0	UP8094	2	44	LABEL-WARNING KEEP BODY, HANDS 1 1/2 X 2 5/8	BNH2909	2
14	REINFORCEMENT PLATE 1/4 X 2 X 7 7/8	0	UP8263	2	45	LABEL-WARNING_SERIOUS INJURY OR DEATH	BNH3134	1
15	REINFORCEMENT PLATE 1/4 X 2 1/2 X 7	0	UP8264	2	46	LABEL-WARRANTY LIGHT COMMERCIAL	BNH3136	1
16	RUBBER WASHER 1 7/8 ID X 4 1/4 OD X 9/16 TK		BNH0933	10	47	TFI EMBLEM 1.88 HIGH X 1.98 WIDE BLUE AND CHROME	BNH4304	1
17	PLASTIC HORIZONTAL ELLIPTICAL SHOE W/LOC	K.	BNH3236	4	48	SWING LOCK J-HOOK	UP8038	2
18	NYLON SPACER 10.5MM ID X 20MM OD X 10MM		BNH4285	2	49	ABS SLEEVE 1 1/2 X 8 1/8	BNH1527	10
19	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 4		BNH2113	4	50	BUTTON HEAD SOCKET CAP SCREW GR-8 B-Z/P 3/8-16 X 1 1/4	BNH2521	2
20	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 3		BNH0331	4	51	FLAT HEAD SOCKET CAP SCREW Z/P M6-1.0 X 15	BNH3280	6
21	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 2 3/4		BNH2065	3	52	HARD GRIP .875 X 8 BLACK	BNH0523	2
22	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1 1/4		BNH2167	2	53	HITCH PIN 210 WW	BNH0568	2
23	HEX HEAD CAP SCREW GR-5 Z/P 1/2-13 X 1		BNH0842	12		PLASTIC INSERT CAP 2 X 3	BNH0052	2
24	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 4 1/4		BNH2074	2		PLASTIC CORNER TUBE GLIDE 7/8 X 10 1/8	BNH2847	16
25	HEX HEAD CAP SCREW GR-5 Z/P 3/8-16 X 2 1/2		BNH2044	2		PLASTIC INSERT CAP 1 5/8" RD 14-18 GA	BNH1910	10
26	FLAT WASHER SAE Z/P 1/2"		BNH2031	38		PUSH PULL PIN 1/2 X 2 7/8 LIGHT SPRING	BNH0542	2
27	FLAT WASHER SAE Z/P 3/8"		BNH2030	12		SAFETY STOPPER PLASTIC STRIP 1 X 15	BNH4279	2
28	SPLIT LOCK WASHER B-Z/P 1/2"		BNH2519	14	59	SHOULDER BOLT ALLOY 1/2 X 55MM	BNH4284	2
29	NYLON INSERT THIN PATTERN LOCK NUT Z/P 1/2		BNH2027	11	60	SOCKET SET SCREW Z/P 10-32 X 1/8	BNH2088	2
30	NYLON INSERT THIN PATTERN LOCK NUT Z/P 3/8	8-16	BNH2026	8	61	TORSION SPRING 21MM, 3MM WIRE	BNH4278	2
31	HEX KEY ALLOY 3/32"		BNH0373	1				


Pre-Assembled (	Components
-----------------	------------

Item No.	Description	Rev.	Part No.	Qty.	Item No.	Description	Rev.	Rev.	Qty.
*2	REAR SIDE FRAME RT	0	UP8256X1	1	*10	SAFETY STOPPER RT	0	UP8189X1	. 1
*3	REAR SIDE FRAME LT	0	UP8257X1	1	*11	SAFETY STOPPER LT	0	UP8190X1	. 1
*5	REAR CROSS BRACE	0	UP8259X1	1	*12	OLYMPIC ADAPTER 1 X 8	0	UP2595X1	10
*6	SELECTOR POST RT	0	UP8260X1	1	*13	DIPPING HANDLE	0	UP8094X1	. 2
*7	SELECTOR POST LT	0	UP8261X1	1	*62	BAR HOLDER LT	0	UP8188X2	. 1
*9	BAR HOLDER RT	0	UP8188X1	1					


## **Pre-Assembled Components**







## **Pre-Assembled Components**





## LIGHT COMMERCIAL WARRANTY

This warranty applies only in the United States to the products manufactured or distributed by TuffStuff Fitness International (TFI) under the TuffStuff brand name. TFI warrants to the original purchaser that TuffStuff equipment will be free from defects in material and workmanship. All warranty periods begin to run from the date of purchase to the original purchaser. The warranty and remedies set forth herein are conditioned upon proper storage, installation, use and maintenance and conformance with any recommendations of TFI. This warranty does not cover products not manufactured by TFI or products which are altered without the express written consent of TFI.

#### **LIGHT COMMERCIAL WARRANTY:**

**TEN (10) Years:** Structural main frames, welds, cams and

weight plates.

**FIVE (5) Years:** Pivot bearings, pulleys, bushings, guide rods

and gas shocks.

**ONE (1) Year:** Belts, linear bearings and pull-pin components.

All other parts not mentioned elsewhere in the warranty will expire one (1) year from the date of purchase to the original purchaser.

**SIX (6) Months:** Upholstery, cables, finish and rubber grips.

#### **Light Commercial Use:**

Light Commercial Warranty applies to facilities like hotels, apartment complexes, personal training studios, fire & police stations, etc. where the equipment would be used by no more than 30 people per day.

#### **HOME LIFETIME WARRANTY:**

LIFETIME of the equipment while owned by the original purchaser (applies only to defects from manufacturer only).

#### This warranty does not cover:

- TuffStuff products sold for and used in a commercial or institutional environment.
- Any damage, failure or loss caused by accident, misuse, neglect, abuse, improper assembly, improper maintenance, or failure to follow instructions or warnings in the owner's manual and warning labels posted on the machines.
- 3. Use of the product in a manner for which it was not designed.
- 4. Original product that is altered, or the use of replacement parts and components of another manufacturer other than TuffStuff.

The obligation of TFI under this warranty is limited to repairing or replacing warranted defective parts as TFI may elect, at TFI's facility in Chino, California, without charge to the purchaser. Purchaser is responsible for installation of repaired or replaced parts, and all transportation and insurance costs on returned or replaced equipment to and from TFI's facility in Chino.

THE FOREGOING SHALL CONSTITUTE THE SOLE REMEDY OF THE PURCHASER AND THE SOLE LIABILITY OF TFI WITH REGARD TO WARRANTY. NO IMPLIED STATUTORY WARRANTY OR IMPLIED STATUTORY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE SHALL APPLY. IN NO EVENT, WHETHER AS A RESULT OF BREACH OF CONTRACT, WARRANTY, NEGLIGENCE OR OTHERWISE, SHALL TFI BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS OR REVENUE, LOSS OF USE OF EQUIPMENT, COST OF CAPITAL, COST OF SUBSTITUTION EQUIPMENT, DOWNTIME COST, OR CLAIMS OF CUSTOMERS OR PURCHASER FROM SUCH DAMAGE.

This written warranty is the final, complete and exclusive agreement of the parties with respect to the quality or performance of the equipment and no action for breach of this written warranty or any implied warranty shall be commenced more than one (1) year after the accrual of the cause of action. No modification of this warranty or waiver of its terms shall be binding on either party unless approved in writing by an authorized representative of the party. Contact TuffStuff Fitness International at 13971 Norton Avenue, Chino, CA 91710, before returning any defective equipment.

This warranty gives you specific legal rights and you may also have other rights, which may vary from state to state.

SERIAL#		
	Write your Serial number here for future reference	Purchase Date



### **TuffStuff Fitness International, Inc.**